



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/762,225	04/05/2001	Lennart Nelson	31185	2856
23589	7590	10/20/2004	EXAMINER	
HOVEY WILLIAMS LLP 2405 GRAND BLVD., SUITE 400 KANSAS CITY, MO 64108			LOFDAHL, JORDAN M	
			ART UNIT	PAPER NUMBER
			3644	

DATE MAILED: 10/20/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/762,225

Applicant(s)

NELSON ET AL.

Examiner

Jordan Lofdahl

Art Unit

3644

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 14 September 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Election/Restrictions

The restriction requirement mailed 8/19/04 has been withdrawn.

Response to Arguments

The device of van der Berg discloses all the structural limitations of the instant claims. If the volume of milk from an utter quarter is below the threshold value of van der Berg and another utter quarter is above the threshold value, one of ordinary skill in the art, could easily determine if the animal has an udder disease in the udder quarter below the threshold value. If the volume of milk of an udder quarter is above the threshold value and another udder quarter is above the threshold value, one of ordinary skill in the art, could easily determine that the animal has no udder disease (col. 1 lines 23-25; col. 2, lines 1-6 and col 2, lines 17-14).

Claim Rejections - 35 USC § 102

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 1-20 are rejected under 35 U.S.C. 102(b) as being anticipated by van der Berg (5704311).

Art Unit: 3644

As to claim 1, van der Berg discloses a device comprising a means for appreciating a parameter related to the quantity of milk extracted from a first and at least a second teat during at least one milking operation (milk volume of an udder quarter); means arranged to determine a deviation of said parameter of the first teat from a comparison value (determining if the udder quarter volume is above or below the threshold valued D1); and means arranged to display (computer) said deviation as an indication of an inflammation of the first teat in the case that the deviation exceeds a certain level (abstract).

As to claim 2, disclosed are the first and second teat capable of forming a rearward pair of teats and a forward pair of teats.

As to claims 3 and 15, disclosed is the comparison value (D1) includes a parameter of at least one preceeding milking operation.

As to claim 4, disclosed is the determining means is arranged to consider the time interval between milking operation and the immediately preceeding milking operation (abstract).

As to claim 5, disclosed is the quantity of milk.

Art Unit: 3644

As to claim 6, disclosed is the measurement of milk flow which is inherently done by a meter.

As to claim 7, disclosed is a time duration (abstract).

As to claim 16, disclosed is a quantity of milk and a milk measuring device.

As to claim 17, disclosed is a time duration (abstract).

As to claims 8-14 and 18-20, the method steps of the instant claims are readily apparent during the operation of the van der Berg.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Art Unit: 3644

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jordan Lofdahl whose telephone number is 703.605.1217. The examiner can normally be reached on m-f 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Teri Luu can be reached on 703.305.7421. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

jml



TERI P. LUU
SUPERVISORY PRIMARY EXAMINER